



| MODEL  | HZ | MOTOR | h3    | w     | z     | z2    | A    | AB    | B    | BB    | C    | H    | HA  | HD    | K   | LB    | Inlet/<br>Discharge |
|--------|----|-------|-------|-------|-------|-------|------|-------|------|-------|------|------|-----|-------|-----|-------|---------------------|
| SM200B | 50 | 132M  | 13.9" | 12"   | 28.8" | 28.8" | 8.5" | 10.1" | 7"   | 8.6"  | 3.8" | 5.2" | .7" | 12.6" | .5" | 17"   | 2 1/2"              |
|        | 60 | 160M  | 14.2" | 12.2" | 28.3" | 28.3" | 10"  | 12.6" | 8.3" | 10.2" | 4.1" | 6.3" | .9" | 16.2" | .6" | 20.2" |                     |
| SM250B | 50 | 160M  | 14.2" | 12.8" | 32.5" | 28.9" | 10"  | 12.6" | 8.3" | 10.2" | 4.1" | 6.3" | .9" | 16.2" | .6" | 20.2" | 2 1/2"              |
|        | 60 | 160L  | 14.2" | 12.8" | 32.5" | 28.9" | 10"  | 12.6" | 10"  | 12"   | 4.1" | 6.3" | .9" | 16.2" | .6" | 20.2" |                     |

| Designation | Explanation                      |
|-------------|----------------------------------|
| $U_B$       | Operating liquid connection - 1" |
| $U_C$       | Cavitation protection            |
| $U_e$       | Drainage (screw plug)            |
| $U_L$       | Ventilation valve connection     |
| $U_V$       | Drainage valve connection        |